

This is to certify that



## Thermo-Reflective Insulation and Vapour Barrier Membrane (Insulbreak, Permifloor, Permishield and Permicav)

Product description Insulbreak, Permifloor, Permishield

Thermo-reflective insulation blanket comprised of closed-cell, crossedlinked foam structure between two layers of reflective aluminium foil.

Complies with the Building Code of Australia (BCA):

Volume One: Specification C1.10 Clause 7, NSW Specification C1.10 Clause 7, FP1.4, J1.2 (incorporating the NSW,NT, TAS and QLD variations to Section J)

Volume Two: 3.7.1.9, 3.12.1.1(incorporating the NSW, NT and TAS variations to Part 3.12)

# Product purpose or use

Thermal Insulation for walls, floors, ceilings and roofs.

Pliable building membrane.

### Certificate holder

Kingspan Insulation Pty Ltd 44 Milrose Drive, Malaga, WA, 6090

# Codemark certification body

SAI Global Certification Services Ptv Limited (ACN 108 716 669) Trading as "SAI Global" JAS-ANZ Accreditation No. Z1440295AS Address: 286 Sussex Street, Sydney, NSW 2000 Website: www.saiglobal.com

Subject to the following conditions and limitations:

- Each product must be installed in accordance with the Kingspan Insulation Pty Insulation Solutions for Roofs, Walls & Floors (Issue – AM 1158). Each product must be used for its intended purpose.



Samer Chaouk Head of Policy, Risk & Certification For and on behalf of SAI Global

Date of issue

17/12/2012

16/12/2015 Date of expiry CM20029

Certificate Number

This Certificate of Conformity is issued by an accredited certification body under arrangement with JAS;ANZ. The ABCB does not in any way warrant, guarantee or represent that the Product the subject of this Certificate of Conformity conforms with the BCA, nor accepts any liability ansing out of the use of the Product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate

It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, <a href="https://www.abcb.nov.au.">www.abcb.nov.au.</a>



This is to certify that

PERMICAY, RETROSHIELD XL, GLARESHIELD XL and INSULWHITE



#### Product description

GLARESHIELD and RETROSHIELD are fibre-free, encapsulated air cell structure (thermo-cellular) reflective insulation with foil outer faces.

INSULBREAK, PERMIFLOOR, PERMISHIELD and PERMICAV are fibre-free, thermo reflective insulation comprising a cross-finked, closed-cell foam core sandwiched with an anti-glare foil facing on one side and a plain foil facing on the other side.

RETROSHIELD XL is fibre-free, thermo reflective insulation, comprising a cross-linked, closed-cell of sandwiched with a plain foil facing on both sides.

INSULWHITE is fibre-free thermo reflective insulation sandwiched by a highly reflective facing on the upper side and a white facing on the other side.

GLARESHIELD XL is fibre-free, thermo-reflective insulation comprising a cross-linked, closed-cell core sandwiched with an anti-glare foil facing on one side and a plain foil facing on the other side.

### Product purpose or use

Reflective pliable building membrane for the provision of thermal insulation in walls, floors, and roofs

#### Certificate holder

Kingspan Insulation Pty Ltd 266 Beringarra Road, Malaga, WA. 6944. Tel: 1300 247 235 Fax: 1300 247 329 info@kingspaninsulation.com.au

#### Codemark certification body

SAI Global Certification Services Pty Limited (ACN 108 716 669) Trading as "SAI Global" JAS-ANZ Accreditation No. Z1440295AS Address: 286 Sussex Street, Sydney, NSW 2000 Website: <a href="https://www.saiglobal.com">www.saiglobal.com</a> Complies with the Building Code of Australia (BCA) 2012:

Volume One: Specification C1.10 Clause 7, NSW Specification C1.10 Clause 7, FP1.4, J1.2, QLD J1.2 of BCA 2009 for Class 2 buildings only.

Volume Two: P2.2.2, 3.7.1.9, 3.12.1.1, NT 3.12.1.1 of BCA 2005.

#### Subject to the following conditions and limitations:

Each product must be installed in accordance with the relevant Kingspan Insulation Pty Ltd. brochure:

brochure:
Air-cell Insulbreak Brochure 1457C (Issue 3 Apr 2011).
Air-cell Permishield Brochure AW12134 (Issue 3 Jan 2013).
Air-cell Permishor Brochure AW1213 (Issue 4 Jan 2013).
Air-cell Retroshield Brochure 1457H (Issue 2 Apr 2011).
Air-cell Glareshield Brochure 1457A (Issue 4 Apr 2011).
Air-cell Permicav Brochure AW1213 (Issue 7 Jan 2013).
Air-cell Insulwhite Brochure AW1215 (Issue 1 Feb 2013).
Air-cell Glareshield XL Brochure (TB055) AW1277 (Issue 3 Apr 2013).
Air-cell Retroshield XL Brochure (TB055F) AW1277 (Issue 1 Apr 2013).

Paul Bailey

Unrestricted Building Certifier

2. Each product must be used for its intended purpose.



Samer Chaouk Head of Policy, Risk & Certification For and on behalf of SAI Global

P. Barlo 04/10/2013 Date of Issue

16/12/2015 Date of expiry SAIG-CM20029 Certificate Number



- This Certificate of Conformity is issued by an accredited certification body under arrangement with JAS-ANZ. The ABCB does not in any way warrant, guarantee or represent that the Product the subject of this Certificate of Conforms with the BCA, nor accepts any liability arising out of the use of the Product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising result of the use of the product(s) referred to in this Certificate
- tesuit of the use of the production and production and or the control of the cont



This is to certify that

INSULWHITE, GLARESHIELD XL, INSULBREAK, PERMICAV XV, PERMIFLOOR, PERMISHIELD, PERMIWALL and RETROSHIELD XL.



#### Product description

INSULWHITE is a fibre-free thermo reflective insulation, sandwiched by a highly reflective facing on the upper side and a white facing on the other side. GLARESHIELD XL is a fibre-free, thermo-reflective

insulation comprising a cross-linked, closed-cell core sandwiched with an anti-glare foil facing on one side and a plain foil facing on the other side.

INSULBREAK, PERMIFLOOR and PERMISHIELD are fibre-free, thermo reflective insulation, comprising a cross-linked, closed-cell foam core sandwiched with an anti-glare foil facing on one side and a plain foil facing on the other side.

PERMICAV XV is a micro-perforated, fibre-free, thermo reflective insulation, comprising a cross-linked, closed-cell foam core sandwiched with an anti-glare foil facing on one side and a plain foil facing on the

PERMIWALL is a fibre-free, thermo reflective insulation, comprising a cross-linked, closed-cell foam core sandwiched with a plain foil facing on both sides.

RETROSHIELD XL is fibre-free, thermo reflective insulation, comprising a cross-linked, closed-cell core sandwiched with a plain foil facing on both sides.

### Product purpose or use

Reflective pliable building membrane for the provision of thermal insulation in walls, floors, and roofs

## Certificate holder

Kingspan Insulation Pty Ltd 266 Beringarra Ave, Malaga, WA. 6944. Tel: 1300 247 235 Fax: 1300 247 329 info@kingspaninsulation.com.au

### Codemark certification body

SAI Global Certification Services Pty Limitled (ACN 108 716 669) Trading as "SAI Global" JAS-ANZ Accreditation No. Z1440295AS Address: 680 George Street, Sydney, NSW 2000 Website: www.saiglobal.com

Complies with the Building Code of Australia (BCA) 2015:

Volume One: Specification C1.10 Clause 7, NSW Specification C1.10 Clause 7, FP1.4, J1.2, QLD J1.2 of BCA 2009 for Class 2 buildings only.

Volume Two: P2.2.2, 3.7.1.9, 3.12.1.1, NT 3.12.1.1 of BCA 2005.

#### Subject to the following conditions and limitations:

- Each product must be installed in accordance with the relevant Kingspan Insulation Pty Ltd brochure:
  - · Air-cell Insulwhite Brochure (TB055W) AW1967 (Issue 5 June 2015)

  - Air-cell Insulwhite Brochure (TB055W) AW1967 (Issue 5 June 2015).
    Air-cell Glareshield XL Brochure (TB055) AW2002 (Issue 6 Sept 2015).
    Air-cell Insulbreak Brochure (TB) AW19560 (Issue 6 May 2015).
    Air-cell Permicav XV Brochure (PS055XV) AW1=2002 (Issue 3 Sept 2015).
    Air-cell Permishield Brochure (PSW) AW2002 (Issue 8 Sept 2015).
    Air-cell Permishield Brochure (PS) AW2002 (Issue 6 Sept 2015).
    Air-cell Retroshield XL Brochure (TB055F) AW2002 (Issue 4 Sept 2015).
- 2. Each product must be used for its intended purpose.



Kleicher Olleche

Heather Mahon - Risk and Compliance Manager APAC

Paul Bailey – Unrestricted Building Certifier

18/01/2016

16/12/2018

SAIG-CM20029

JAS-ANZ

- This Certificate of Conformity is issued by an accredited certification body under arrangement with JAS-ANZ. The ABCB does not in any way warrant, guarantee or represent that the Product the subject of this Certificate of Conformity conforms with the BCA, nor accepts any liability arising out of the use of the Product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate

  It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au.



This is to certify that

INSULWHITE, GLARESHIELD XL, INSULBREAK, PERMICAV XV, PERMIFLOOR, PERMISHIELD, PERMIWALL and RETROSHIELD XL.



#### Product description

INSULWHITE is a fibre-free thermo reflective insulation, sandwiched by a highly reflective facing on the upper side and a white facing on the other side.

GLARESHIELD XL is a fibre-free, thermo-reflective insulation comprising a cross-linked, closed-cell core sandwiched with an anti-glare foil facing on one side and a plain foil facing on the other side.

and a plain foil facing on the other side.

INSULBREAK, PERMIFLOOR and PERMISHIELD are fibre-free, thermo reflective insulation, comprising a cross-linked, closed-cell foam core sandwiched with an anti-glare foil facing on one side and a plain foil facing on the other side.

PERMICAV XV is a micro-perforated, fibre-free, thermo reflective insulation, comprising a cross-linked, closed-cell foam core sandwiched with an anti-glare foil facing on one side and a plain foil facing on the other side.

PERMIWALL is a fibre-free, thermo reflective insulation, comprising a cross-linked, closed-cell foam core sandwiched with a plain foil facing on both sides.

RETROSHIELD XL is fibre-free, thermo reflective insulation, comprising a cross-linked, closed-cell core sandwiched with a plain foil facing on both sides.

## Product purpose or use

Reflective pliable building membrane for the provision of thermal insulation in walls, floors, and roofs

# Certificate holder

Kingspan Insulation Pty Ltd 266 Beringarra Ave, Malaga, WA. 6090 Tel: 1300 247 235 Fax: 1300 247 329

#### info@kingspaninsulation.com.au Codemark certification body

SAI Global Certification Services Pty Limited (ACN 108 716 669) Trading as "SAI Global" JAS-ANZ Accreditation No. Z1440295AS Address: 680 George Street, Sydney, NSW 2000 Complies with the Building Code of Australia (BCA) 2015:

Volume One: Specification C1.10 Clause 7, NSW Specification C1.10 Clause 7, FP1.4, J1.2, QLD J1.2 of BCA 2009 for Class 2 buildings only.

Volume Two: P2.2.2, 3.7.1.9, 3.12.1.1, NT 3.12.1.1 of BCA 2005.

#### Subject to the following conditions and limitations:

- Each product must be installed in accordance with the relevant Kingspan Insulation Pty Ltd

  - Air-cell Insulwhite Brochure (TB055W) AW1967 (Issue 5 June 2015).
    Air-cell Glareshield XL Brochure (TB055) AW2002 (Issue 6 Sept 2015).
    Air-cell Insulbreak Brochure (TB) AW19560 (Issue 7 August 2016).
    Air-cell Permicav XV Brochure (PS055XV) AW1=2002 (Issue 4 Aug 2016).
    Air-cell Permifloor Brochure (PSW) AW2002 (Issue 9 Aug 2016).
    Air-cell Permishield Brochure (PS055F) AW2002 (Issue 3 Sept 2015).
    Air-cell Retroshield XL Brochure (TB055F) AW2002 (Issue 4 Sept 2015).
- Each product must be used for its intended purpose.





Paul Bailey – Unrestricted Building Date of issue

16/12/2018 Date of expiry SAIG-CM20029 Certificate Number



- This Certificate of Conformity is issued by an accredited certification body under arrangement with JAS-ANZ. The ABCB does not in any way warrant, guarantee or represent that the Product the subject of this Certificate of Conformity conforms with the BCA, nor accepts any liability arising out of the use of the Product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au