

## **SUBMISSION TO THE INQUIRY BY THE AUSTRALIAN FEDERAL HOUSE OF REPRESENTATIVES COMMITTEE ON ENVIRONMENT AND ENERGY INTO THE NUCLEAR FUEL CYCLE**

**BY : Barry Murphy B.SC.App, B.E.(Chem), CSci, MBA, PgDip.Env.Stud, PgDip.En.Stud, FAICD, FICHEM, FTSE**

---

I make this Submission in good faith and in a personal capacity only. I am not employed by, nor do I represent, any vested interest, commercial, political, or otherwise. I am a chemical engineer, holding degrees in applied science, chemical engineering and business administration, plus post-graduate qualifications in environmental studies and energy studies. I am a fellow of the Institution of Chemical Engineers, a Chartered Scientist of the UK Science Council, a Fellow of the Australian Academy of Technology and Engineering, and a Foundation Fellow of the Australian Institute of Company Directors.

---

### **Executive Summary**

This Inquiry is welcome and, in principle, long overdue -- but there are some features of it which require further explanation.

It stretches credulity to think that a Committee of Federal Parliamentarians coming from five different States, with no special knowledge of the subject but no doubt diligent in their intentions, can comprehensively enquire into and make judgements about, all the very important issues which ought to be considered in such a technical and socially important issue over a period of only five months -- and heading into the end of the year ?

It is even more difficult to understand what the purpose of the Inquiry really is. The Minister has said that the Committee has to "... *inquire into and report on the circumstances and prerequisites necessary for any **future** (my emphasis) government's consideration of nuclear energy generation...*".

He has also stated that the existing ban on using nuclear energy to generate electricity in Australia will **not** be lifted, despite this being the first recommendation of the South Australia Nuclear Fuel Cycle Royal Commission 2016 to which he refers in the Terms of Reference.

These confusing messages do not help. The Government should make it clear that the purpose of the Inquiry is to gather relevant and up-to-date information to help it make a decision about lifting the ban, and if this course of action is found to be needed, it would seek bipartisan support.

It is unrealistic to think that other countries already well down this path, overseas technology and equipment vendors, learned institutions, and experienced technical, financial, and regulatory parties, would take much interest in what Australia is doing unless our intentions as a nation are shown to be worth the effort.

### **Discussion**

The Terms of Reference are listed in the Minister's Statement and are comprehensive for anyone looking at nuclear power. Each Item listed for report could well occupy a listing of its own -- the literature is replete with examples and discussion on each of them.

It is not my intention to try to cover all of these items in detail : there are others who will no doubt do that in the course of the Inquiry. I would rather approach this as someone who over

the years has developed a keen interest in the technology, flowing mainly from my professional experience in the oil, coal, electricity, airports, rail, and biofuels area as a field of knowledge to keep Australia prosperous, but in ways consistent with not adding to adverse climate change for the long run.

Consequently, I have prepared a short document entitled “ *nuclear energy on the table -- what australians need to know* “. I have used this in various areas to help explain key aspects of nuclear energy in practice, and enclose it here as part of my Submission.

I hope the Committee finds this helpful : --

---

# **nuclear energy on the table**

## **what australians need to know**

Two-thirds of humanity now lives in countries that use uranium for the production of electric power. Australia supplies uranium to many of these countries for this purpose but cannot use it itself, having banned it by law 20 years ago. We are the only G20 country to do so. This has to change.

Regrettably, any discussion of this topic usually descends into a political brawl of competing ideologies with little or no consideration of the true facts of the matter.

The purpose of this brief discourse is to help public understanding of a few key aspects of the nuclear power question in areas of popular contention viz. safety, radiation, waste, cost and benefits. Several Attachments are grouped at the end.

Only by understanding enough about the science and engineering involved in this remarkable technology can we hope to make better decisions about our clean energy future.

History might show that this was not an option, but an absolute necessity.

Barry Murphy  
CSci, FIChemE, FTSE, FAICD

27 December, 2018

---

**But first --**

### **What is a nuclear reactor and how does it operate ?**

(See Attachment 1). A nuclear reactor consists of a core inner structure containing fuel rods in which neutrons from atoms of a particular kind of uranium called  $U^{235}$  are used to 'split' the nuclei of other atoms of the same material contained within the rods. This is known as nuclear fission.

The neutrons released by this process are slowed down by normal water or graphite to improve their effectiveness, and go on to split more uranium nuclei within the rods in a chain reaction. This in turn releases energy, producing a lot of heat which is fully contained and controlled.

The reactor core sits inside a steel pressure vessel such that the circulating water remains liquid even at high temperature. The water passes around the fuel rods and steam is formed, either above the reactor core or in separate pressure vessels in a secondary circulating water circuit. The steam goes on to drive a turbine to produce electricity just as it would in a normal coal-fired power station, after which it is condensed and the water recycled for use.

Most large pressurised water reactors have all of the energy-producing components inside a large containment structure, but some modern designs comprising several energy-producing modules do not need this type of construction (see Attachment 2). Others under development can use liquid fuels and operate at atmospheric pressure.

### **Can a nuclear reactor become a bomb ?**

No. Nuclear fission for controlled heat generation requires that a certain, but limited, proportion of a particular 'isotope', uranium  $U^{235}$ , be present in the fuel before adequate fission can take place.

This is normally between 3 -- 5% for electricity generation. This is achieved at the time of fuel manufacture by enrichment of the 0.7% of  $U^{235}$  normally found in natural uranium ore (mainly  $U^{238}$ ), and is monitored strictly by the International Atomic Energy Agency (IAEA). Australia's nuclear fuel would be manufactured overseas using Australian-supplied uranium.

At 3 -- 5%, there are not enough atoms of the right type in the fuel rods to be used as a precursor to an uncontrolled reaction which simply could not occur. For any military intention, this would require enrichment to a much higher level (around 90%+), as well as very obvious actions in a difficult and expensive process easily detectable.

Australia is a member of IAEA and a signatory to the *Nuclear Non-Proliferation Treaty*, meaning no such fuel or process would ever be allowed in Australia.

---

## **Safety**

Nuclear power production is an industrial process like any other, and needs to be conducted to the highest standards of safety. There are 450 operable nuclear reactors in the world

today producing around 11% of the world's electricity, with a further 54 currently under construction.

China alone has 37 reactors in operation, 19 under construction, and is planning to add another 290 reactors by 2050. The next few years is expected to see around 33,000 MW of nuclear capacity added to grids in 10 countries, including two newcomers. Older units are being shut down. It is unlikely this level of investment would continue if there were serious doubts about safety of operation.

Unfortunately, there have been three incidents over the past 40 years which have set back nuclear power acceptance. Although painful, these need to be properly understood if we are to make progress in understanding how this technology can be safely used. They are --

- Three Mile Island, USA, 1979 : A relatively minor partial meltdown in which some radioactive gases from an operating reactor were released into the atmosphere due to poor early design instrumentation and operator error, no injuries, no threat to the public or plant workers.
- Chernobyl, USSR, 1986 : A poorly designed Russian reactor, badly executed operator test on cooling water shut-down, power surge leading to partial rupture of core and steam explosions, no containment structure, graphite fire, release of radioactive soot and fission products into the atmosphere. Death of two plant workers plus 28 firefighters within weeks, 6000 child thyroid cancers with 15 deaths over following decade, 19 other cancer cases attributed over next 17 years, estimated possibility of around 4000 later cancers but uncertainties in attribution exist.

The worst nuclear power plant accident in history, inherently flawed design causing a positive void coefficient in the reactor core leading to a rapid increase in temperature, lack of safety culture exacerbated by top-heavy centralised supervision resulting in delay, indecision, and lack of appropriate response. The basic design causes of this accident could not have occurred in a Western-designed reactor.

- Fukushima Daiichi, Japan, 2011 : Magnitude 9.0 earthquake 100 km at sea, highest ever recorded in Japan, immediately detected by all 11 reactors in Eastern coastal regions, including Fukushima Daiichi, which automatically shut down, waves of 15 m high tsunami followed, knocked out reserve battery power of decay heat cooling water pumps, eventual total plant power failure, reactors partial meltdown and subsequent hydrogen explosion, six plant worker deaths due stress-related causes.

No deaths due radiation and none are expected, tsunami swept 18,390 local people to their death, additional 1,600 local deaths arising from evacuations, the earthquake moved the island of Honshu 2.4m closer to America.

Nothing can excuse serious industrial accidents wherever they occur, but learning from them is essential. Between 1910 and 1950 over 90,000 lives were lost in American coal mines ; a 1975 dam failure in China had 170,000 casualties ; in 1984, 3787 people were killed and 558,000 injured by a pesticide leak from a chemical plant in Bhopal, India ; a coal mine accident in Turkey in 2014 killed 301 workers ; 12,000 people died in the killer London smog of 1952.

While nuclear power plant accidents are as regrettable as any other, so far the record has been few in number. With better designs underway and the likelihood of smaller units in cooperation with other countries, Australia has a chance to inculcate a 100% nuclear safety culture into our beginnings with nuclear energy for electricity generation.

## Radiation

Radiation is essential to life. Like gravity or magnetism, radiation can't be seen, heard, tasted, or smelled -- it only becomes 'visible' to us through measurement.

It is often described as "...*energy on the move*." Travelling electromagnetic waves and subatomic particles fill all of our living space for every second of our lives. Although unaware, radiation is passing around us and through us continuously. We depend on it for heat, light, and communication. It can be found in food, water, and the air that we breathe.

There are two fundamental kinds of radiation, viz. *non-ionizing* radiation, and *ionizing* radiation.

*Non-ionizing* radiation, such as radio waves, visible light, and microwaves, has relatively low levels of energy too low to remove an electron from an atom -- a process called ionization; *ionizing radiation* on the other hand has enough energy to do this. X-rays, gamma rays, and high-energy particles like protons, electrons, and neutrons can all be ionizing radiation.

Radioactive elements are also a source of ionizing radiation. Such an element has an unstable nucleus which can eject some part of its energy or mass to reach a lower energy state, either spontaneously or after being struck by a high-energy particle as in a nuclear reactor. It can do this in the form of radiation which usually takes one of three forms, viz. --

- alpha particles (helium nucleus) emitted by heavy metals e.g. uranium or thorium -- travel only a few centimetres and are easily stopped by a sheet of paper
- beta particles (high-energy electrons), can be stopped by a sheet of foil
- gamma rays (packets of high electromagnetic energy) -- stopped by lead
- neutrons, highly penetrating, but not normally found free outside a nuclear reactor.

Type, exposure, and dose are all important variables. Some radiation can be damaging, especially if ingested where damage is measured by the amount of energy absorbed by living tissue. The earth is bombarded by electromagnetic radiation from the sun every day, and we are all familiar with sunburn. Human body cells do not discriminate between natural and man-made radiation, such as is used in radio, television, smoke detectors, mobile phones, microwave ovens, and wireless computer networks.

A millisievert is an internationally recognised measure of radiation exposure. On average, Australians receive 3.5 millisieverts / year as ever-present 'background' radiation, while residents of Denver in the USA receive around 5.0 millisieverts / yr. In the USA, almost 50% of radiation received by many people is due to medical and dental procedures.

A chest X-ray will radiate 0.10 millisieverts, while radiotherapy treatment of a tumour can involve 40,000 millisieverts per dose. A worker in a nuclear power plant will receive no more than 2.4 millisieverts / year. A maximum dose of 100 millisieverts / year is considered safe.

The radioactive material that is used to release energy in a nuclear power plant is well understood and strictly controlled. In Australia, this is overseen by the Australian Radiation Protection and Nuclear Safety Agency (ARPANSA), while the Australian Nuclear Science and Technology Organisation (ANSTO) is home to Australia's nuclear science and technology expertise.

Both these organisations have outstanding international reputations in the application of nuclear science and technology, and would provide a strong foundation for the safe and secure development of a nuclear power industry in Australia.

## **Waste**

Every two years or so, a portion of the fuel in a nuclear reactor will be replaced. A typical 1000 MW pressurised water reactor will use about 27 tonnes per year after which it is removed. This spent fuel is first placed in a pond of normal water for up to five years or more to enable heat from the natural radioactive decay to dissipate, before being placed in strong dry casks made from steel and concrete for secure above-ground storage.

This nuclear waste contains the so-called fission products most of which are highly radioactive when removed and short-lived with half-lives of around 30 years, and some for only eight days. For these elements their radioactivity will decline to harmless levels within 300 years. The least radioactive and highest volume of the waste, the long-lived actinides, will decline completely in radioactivity over thousands of years.

To date, the entire world has accumulated about 280,000 tonnes of this material, most of which is safely stored above ground awaiting permanent burial. This compares with around 400,000 tonnes of solid waste per year from a single 1000 MW coal-fired power station containing ash, toxic heavy metals, and traces of some radioactive elements, plus 6,000,000 tonnes per year of greenhouse gas emissions. A nuclear power plant has no emissions in operation.

A factor that needs to be kept in mind is the very advanced work going on in the USA, China, and the UK to develop what are called 'fast' reactors. This technology can use the waste material described above as fuel, thereby eliminating much of the disposal problem while capturing more clean energy.

It should also be noted that there are now around 100 sites across Australia, mainly hospitals and specialist research establishments, licensed to hold low-level nuclear waste on an interim basis until the proposed National Radioactive Waste Management Facility can be built. In 2016, a Royal Commission in South Australia recommended that Australia should consider the deep geological disposal of radioactive waste as a commercial venture on an international basis. To date, there has been no action on this front.

## **Cost**

This is usually the 'killer' argument against the adoption of nuclear power in Australia. CSIRO estimates for this in their Gen18 Analysis of generation costs appear very high.

Of course cost must be carefully considered, but something as important as nuclear power is not a short-term undertaking. It needs to be seen in its entirety as an investment in our longer-term need for reliable electric power generation which can also avoid emissions.

Failure to do this could see Australia's prosperity drop if we are unable to compete in the Asian theatre of growth around us, much of which will be familiar with nuclear technology.

Some 15,000 MW of currently-operating coal-fired baseload electricity generation is due to be retired in Australia over the next 20 years to 2040. At present, there is no baseload power technology firmly scheduled to replace this.

Instead, a plethora of intermittent wind and solar investments in designated Renewable Energy Zones, connected to each other and major demand centres by new high-voltage and expensive transmission lines, is envisaged by the system operator AEMO in its Integrated System Plan through to 2040.

This is expected to be supplemented by lots of battery storage (696 times more capacity than the existing Tesla battery at Hornsdale in SA), and assumes that the Snowy Hydro 2.0 and Tasmanian Battery of the Nation projects will also proceed. Some 500 MW of 'flexible' gas generation will be added to provide peaking or emergency response. It would seem sensible to analyse if, and at what cost, modern nuclear power technology could bring low-emissions reliability to this task. An up-to-date cost analysis is shown below.

---

## Case Study

In mid-2018 several senior Australian power engineers undertook a self-funded visit to the Republic of Korea, where they were hosted by the Government-owned Korea Electric Power Corporation (KEPCO). They were able to inspect for themselves some of the 24 nuclear reactors which supply 30 % of that country's electric power needs. Possible applications for Australia were discussed.

KEPCO has made great strides in designing and selling its most modern and successful reactor known as the APR1000+. This a 3<sup>rd</sup> generation pressurised water reactor (PWR) which KEPCO now sells to others and is capable of installing internationally.

Careful comparison and conversion of all Korean costs to A\$ has shown that one of these reactors could be built in Australia today for around A\$ 6.2 billion. KEPCO is currently building four such units in the United Arab Emirates very close to time and budget. It is also in demand elsewhere. The Study Team found that the average price of electricity generation to all consumers in Korea is UScents 8.0 / kWh, of which UScents 4.0 / kWh is due to the nuclear component.

As far as Australia is concerned, it is the total **System Levelised Cost of Energy (SLCOE)** that counts in any fair comparison of generation costs in the National Electricity Market.

Analysis on return of the Study Team showed that a levelised cost of nuclear generation in Australia, using the Korean technology as described above, would be around Acents 7.9 / kWh based on a discount rate of 6.0% per year over the life of the reactor (see Attachment 3). For example, if this were to be embedded in the current Australian grid **system** of generation, replacing only existing brown coal use with 3,500 MW of nuclear, a SLCOE of Acents 7.2 / kWh would result.

As in all such comparisons, to this would need to be added the costs of transmission and distribution, making a total cost to the household customer of around Acents 21.5 / kWh. This compares favourably with current delivered costs of electricity in Australia for other

forms of generation. Attachment 4 shows the relationship between cost and emissions for a range of options. While valid at the time, all such estimates need careful verification before any final commitment.

There would be some establishment costs in setting up the necessary approval and regulation architecture for nuclear power generation in Australia, i.e. in addition to what already exists for ARPANSA and ANSTO in their existing roles for oversight of nuclear safety, waste handling, radiation protection, and research and production of medical and industrial radioisotopes. This would be a sound investment in Australia's future.

### **Comparison of electricity generation costs must be fair**

Much is made in newspaper and other comparisons of the apparently constantly reducing costs of solar and wind electricity generation. Such comparisons are often specious for the following reasons --

- difference between renewable energy capacity installed and actual energy produced due low capacity factors (ave. 18% for solarPV, ave. 30% for wind), thus incurring additional costs for dispatchable back-up power which usually are not shown. This compares with a 90%+ capacity factor for dispatchable all-weather nuclear power.
- grid integration costs to control variable and intermittent generation inputs to the grid while trying to satisfy unpredictable customer demands. This can also require new high-voltage transmission lines to bring the power long distances to areas of high demand, thus incurring additional costs which also are usually not shown.
- long lifetime for nuclear plants (60+ years), versus short lifetime for wind and solar renewables (15 -- 25 Years) thus requiring continual replacement of hardware.
- resources and land required : a typical 1000 MW nuclear power plant will occupy 100 ha of land versus 150,000 ha for equivalent generation capacity wind, and 27,500 ha for equivalent generation capacity solar PV ; 12,000 tonnes of steel for nuclear, versus 240,000 tonnes for equivalent generation capacity wind.
- many renewables investments are made to 'harvest' grants and subsidies while they still exist. These numbers do not show up in most journalistic comparisons of generation costs, but are paid for by all taxpayers irrespective.
- this is not to denigrate renewable energy when properly understood and applied, but comparison between all forms of power generation in a specific application must be comprehensive and factual.

---

### **Benefits of nuclear power**

Australia is at risk of a future of unreliable costly electricity with relatively small effect on reducing global emissions.

This results from political neglect over many years focussing only on short-term thinking. The result has been massive subsidies for intermittent variable weather-dependent electric power



generation, while ageing baseload power generation plants are progressively shutting down. A more balanced approach is needed.

The National Energy Guarantee idea previously floated by the Energy Security Board was an honest attempt to put this to rights and should have been supported, but regrettably it became a casualty of unexpected political upheaval which saw it abandoned.

The overwhelming advantage of nuclear is its energy density. There is enough energy in 1 x Kg of low-enriched uranium to light a 100-watt light bulb for 1142 years without producing any greenhouse gas emissions. The energy in a Kg of coal could do the same job for 3.6 days while producing 2.6 Kg of emissions.

This remains theory unless properly harnessed with expert design and regulation to produce a safe, reliable, and affordable outcome. This should be examined at the same time as short-term efforts are made to drive down electricity prices.

The tangible benefits of nuclear power might be summarised as --

- low life-cycle analysis greenhouse gas emissions, and none in operation
- high capacity factor in operation (90%+)
- not weather-dependent
- long lifetime (60+ years)
- low land use and resources requirement (see earlier)
- can be readily connected to existing transmission lines
- modern designs provide reliable back-up for renewables to produce electricity
- can provide heat for desalination and other industrial processes (see Attachment 5).
- clear and certain elimination of greenhouse gas emissions versus fossil fuel generation.

### **What about Small Modular Reactors ?**

While the traditional light-water pressurised water nuclear reactor of around 1000 MW capacity has all of the benefits listed above, an evolving class of reactor under development overseas is the **Small Modular Reactor (SMR)** of capacities from 50 to 720 MW. These could be ideal for particular applications in Australia as shown in Attachment 5, although large-scale nuclear capacity might still be required to completely replace coal in the long run.

SMRs would have additional benefits, such as --

- not weather-dependent
- modularity and simpler componentry, better quality control
- standardised design, mostly factory construction -- like aircraft
- transportable to point of assembly
- passive and inherent safety features not requiring human intervention
- can be installed underwater and underground
- within practical operating limits, can work flexibly with renewables
- low land requirements (e.g. 18 ha for up to 720 MW)
- lower upfront investment by comparison with larger units, easier to finance

See Attachment 2 for an illustration of the NuScale SMR under development in the USA. There are also many other versions under active development in the UK, China, Russia, and Canada.

A Study released by the Massachusetts Institute of Technology (MIT) in September 2018 had this to say .... “ *While a variety of low or zero carbon technologies can be employed in various combinations, our analysis shows the potential contribution nuclear can make as a dispatchable low-carbon technology. Without that contribution, the cost of achieving deep decarbonisation targets increases significantly.* “

Perhaps Australians are more alert to this possibility than our political leaders think. A Survey by the Australian National University in 2017 about public support for scientific advances showed results as noted in Attachment 6.

---

## Conclusion

Nothing in this document speaks for any vested interest in the adoption of nuclear power technology for Australia -- personal, commercial, political or otherwise.

It is intended only to help people understand that while the world of electricity generation is changing -- and for good reasons -- there are real differences in engineering approach which must be understood free of populist cant or political bias.

**The complexities of power engineering and whole-of-system costs cannot be ignored. It is time for an honest look at the role modern nuclear power could play in a balanced mix of generations for our clean energy future. This can only be fully explored if the existing legal ban on nuclear power for Australia is removed.**

**To give certainty to long-term policy, this will have to be done by means of a bipartisan agreement . This is normal practice when considering defence, border control, and parliamentary salaries -- why not in removing an obstacle to examining emissions - free nuclear power production ?**

Tell your Federal member.

27 December, 2018

---

## BIBLIOGRAPHY

1. Allison, Wade, 2009, *Radiation and Reason -- the impact of science on a culture of fear*, Wade Allison Publishing, York, UK
2. Cravens, Gwyneth, 2007, *Power to Save the World -- the truth about nuclear energy*, Alfred A Knopf Publishing, New York, USA

3. Dale, Robert, 2013, *Radiation -- what it is and what you need to know*, Random House, New York, USA
  4. Delft University of Technology, 2018, *Understanding Nuclear Energy*, Delft, Netherlands
  5. Ferguson, Charles, *Nuclear Energy -- what everyone needs to know*, Oxford University Press, Oxford UK.
  6. Government of South Australia, 2016, *Nuclear Fuel Cycle -- Royal Commission Report*, Adelaide, Australia
  7. Green, Lucie, 2016, *15 Million Degrees -- a journey to the centre of the Sun*, Penguin Random House, London, UK
  8. Helm, Dieter, 2012, *The Carbon Crunch, -- how we're getting climate change wrong and how to fix it*, Yale University Press, UK
  9. Lynas, Mark, 2013, *Nuclear 2.0 -- why a green future needs nuclear power*, UIT Cambridge, UK
  10. Mackay, David, 2009, *Sustainable Energy -- without all the hot air*, Cambridge University Press, UK
  11. Montgomery, Scott, & Graham, Thomas, 2017, *Seeing the Light -- the case for nuclear power in the 21<sup>st</sup> century*, University Printing House, Cambridge, UK
  12. Moore, Patrick, 2010, *Confessions of a Greenpeace Dropout -- the making of a sensible environmentalist*, Beatty Street, Canada
  13. Muller, Richard, 2012, *Energy for Future Presidents*, W.W. Norton & Company, New York, USA
  14. Partanen, Rauli, & Korhonen, Janne, 2015, *Climate Gamble -- is anti-nuclear activism endangering our future ?*, Create Space, Helsinki, Finland
  15. Plokhly, Serhii, 2018, *Chernobyl -- history of a tragedy*, Penguin Random House, UK
  16. Weart, Spencer, 1988, *The Rise of Nuclear Fear*, Harvard University Press, Massachusetts, USA
  17. *World Nuclear News*, 31 October, 2018.
- 

## **Conclusion**

Taken all 'round, I believe there are several important 'take-aways' from this Submission, viz. –

- Government must look at both short-term and long-term issues, i.e. –
  - (a) the immediate emphasis must continue to be on the adequacy, reliability and affordability of NEM electricity supply, including firm generation to back up renewables as coal-fired power stations are scheduled for near-term

shutdown. This could involve one or more new gas-fired generators, but whatever the case, decisions are needed.

(b) but at the same time, accept that modern advanced nuclear power technology is being adopted in many parts of the world as a component of clean energy supply to work with solar, wind, and hydro, and resolve to learn as much as possible about this technology. By necessity this will be a longer-term issue, but Australia's future prosperity cannot afford for it to be overlooked.


- form a **bipartisan agreement to lift the ban now** on nuclear power so that a proper examination of available options can be made, with full participation by necessary parties.
- if this outcome is favourable, enter into a formal Agreement with the International Atomic Energy Agency (IAEA) to adopt their rigorous 'milestone' methodology to develop a suitable program to meet our needs, and enter into MOU's with partner countries where appropriate, e.g. USA, Canada, UK.
- throughout this process, undertake a widespread public information program to bring the public into the loop to inform, educate, and build trust and confidence for the long term. See Attachment 7.

Barry Murphy  
13 August 2019

### **Attachments**

- 1, Pressurised water reactors
2. NuScale small modular power reactor
3. Scenario Case 2 : replace brown coal with nuclear
4. Modelled comparison of a range of NEM replacement options
5. It can be more than electricity
6. How does Australia feel about nuclear ?
7. A road to the use of Advanced Nuclear Power Technology in Australia ?

# Pressurised Water Reactors





1. Core
  2. Coolant
  3. Steam Generator
- 
- A. Pump
  - B. Control Rods
  - C. Pressuriser
  - D. Containment




# NuScale Power (USA) 50 MWe power modules

## Reactor Building



© NuScale Power, LLC. All Rights Reserved.

Up to twelve x 50MWe modules. Natural circulation, reactor underground  
Passive safety systems – cooled indefinitely without attention – “indefinite coping time”




## Electric Power Consulting Pty Ltd Power System Generation Mix Model Output

Scenario: Case 2 - Replace Brown Coal Generation with Nuclear (3,889MW)

Version 1.6 Run Number 78


Generation Type	Installed MW	Net Available MW		% of Load Energy Supplied	Levelised Cost of Energy (LCOE) \$/MWh	Contribution to System Levelised Cost of Energy (SLCOE) \$/MWh	Carbon Intensity T/MWh	Contribution to System Carbon Intensity T/MWh
			Storage Days					
Battery Storage	100	100	0.06	0.0%		\$0.13		
Solar PV	323	323		0.4%	\$117.32	\$0.48	0.034	0.00
Wind	3,500	3,500		5.2%	\$93.08	\$4.80	0.012	0.00
Open Cycle Gas	10,660	10,500		1.7%	\$348.91	\$6.02	0.606	0.01
Hydro	4,200	4,200		8.0%	\$80.78	\$6.50	0.024	0.00
Combined Cycle Gas	2,116	2,000		7.0%	\$92.23	\$6.43	0.415	0.03
Black Coal Supercritical	14,286	13,500		61.6%	\$50.90	\$31.33	0.9635	0.59
Nuclear	3,889	3,500		16.1%	\$79.09	\$12.76	0.019	0.00
<b>Total .....</b>	<b>39,074</b>	<b>37,623</b>	MW Energy storage decrease	0.0%				
			<b>Total.....</b>	<b>100.0%</b>				
<b>Subtotal Generation.....</b>					<b>\$68.45 /MWh</b>	<b>Total..... 0.64</b>		
<b>Extra Transmission...</b>					<b>\$4.04 /MWh</b>			
<b>System Levelised Cost of Energy</b>					<b>\$72.48 /MWh</b>	<b>CO2 Emission Abatement Analysis</b>		
<b>Base Transmission.....</b>					<b>\$42.25 /MWh</b>	Reference <b>\$69.20/MWh</b>		
<b>Delivered Cost of Energy for Transmission Customers</b>					<b>\$114.73 /MWh</b>	Base level.... <b>0.82 T/MWh</b>		
<b>Distribution...</b>					<b>\$100.00 /MWh</b>	<b>Cost of Abatement \$18.07 /Tonne</b>		
<b>Delivered Cost of Energy for small LV Customers</b>					<b>\$214.73 /MWh</b>			








**EXAMPLE**



# How does Australia feel about nuclear?



Source: ANU, The Australian Beliefs and Attitudes Towards Science Survey 2017

# A road to the use of Advanced Nuclear Power technology in Australia ?

TIMELINE

