
The Parliament of the Commonwealth of Australia

Public works on Christmas Island

Parliamentary Standing Committee on Public Works

October 2011
Canberra

© Commonwealth of Australia 2011

ISBN 978-0-642-79559-5 (Printed version)

ISBN 978-0-642-79560-1 (HTML version)



Contents

Membership of the Committee	v
List of recommendations	vii

THE REPORT

1	Introduction	1
	Objective	1
	Program	1
	Report format	2
	Acknowledgements	2
2	Issues	5
	Christmas Island Housing Program	5
	Wastewater and water supply	6
	Discharge of treated water	6
	Sludge disposal	7
	General waste disposal and recycling	8
	Power generation	10
	Approval of projects	11
	Detention centre medical facilities	12
	Access to health care	12
	North-west Point	13
	Construction Camp	13
	Phosphate Hill	15

Australian Federal Police headquarters.....	15
New headquarters.....	17
Accommodation for other agencies.....	18

APPENDICES

Appendix A	19
------------------	----



Membership of the Committee

Chair Ms Janelle Saffin MP

Deputy Chair Senator the Hon Judith Troeth
(until 30/6/11)

Members	Mrs Karen Andrews MP	Senator Gavin Marshall (until 30/6/11)
	Mr John Forrest MP	Mr Bernie Ripoll MP
	Senator Michael Forshaw (until 30/6/11)	Mr Patrick Secker MP
	Senator Alex Gallacher (from 1/7/11)	Senator Anne Urquhart (from 1/7/11)
	Mr Steve Georganas MP	

Committee Secretariat

Secretary	Dr Alison Clegg
Inquiry Secretary	Mr Anthony Overs
Senior Research Officer	Mr Thomas Gregory
Administrative Officer	Mr Shaun Rowe



List of recommendations

Issues

Recommendation 1

The Committee recommends that the Australian Government undertake an assessment of water flows to determine what happens to treated wastewater that leaves the Christmas Island Wastewater Treatment Plant, and the potential risks to the freshwater supply.

Recommendation 2

The Committee recommends that the Australian Government undertake an assessment of the Christmas Island water supply to determine whether any water supply areas are affected by contaminants from the Island's landfill site.

Recommendation 3

The Committee recommends that the Australian Government examine alternatives for disposal of solid waste from the Christmas Island Wastewater Treatment Plant.

Recommendation 4

The Committee recommends that the Australian Government Department of Immigration and Citizenship review existing medical facilities and services at the Christmas Island Immigration Detention Centre (North-west Point), with a view to ensuring that all detainees have full access to all medical services in an appropriate and suitable medical centre environment.

Recommendation 5

The Committee recommends that the Australian Government design and construct a fit-for-purpose medical centre for the Construction Camp Alternative Place of Detention on Christmas Island, which will include (but not be limited to):

- a sufficient number of discrete and appropriately sized consultation and examination rooms or suites;
- appropriate client waiting areas;
- a secure drug store and dispensary;
- separate waiting and consultation areas for mental health care and counselling services;
- adequate storage for all medical supplies; and
- suitable kitchen and ablution facilities for staff.

The medical facility should be attached to existing administrative areas and/or compound entrance or exit to facilitate access and egress for staff, while still allowing access for detention centre clients. Detention centre management, medical staff and the Department of Immigration and Citizenship's Detention Health Advisory Group must be consulted regarding the design of any proposed medical facility.

Recommendation 6

The Committee recommends that the Australian Government, as an urgent priority and outside of the normal Budget process, construct new headquarters for the Australian Federal Police on Christmas Island.

